

TRONDHEIM

4-SIDIG FASNING



längd	bredd	tjocklek	plankor / paket	m ² / paket	paket / pall	m ² / pall
2050 mm	211 mm	9,5 mm	6	2,595 m ²	44	114,180 m ²



BLONDE OAK
● L0361-06398



FRESH NORDIC OAK
● PRO L0261-06399
● L0361-06399



BEIGE OAK
● PRO L0261-06400
● L0361-06400



WARM NATURAL OAK
● L0361-06401



BROWNE OAK
● PRO L0261-06402
● L0361-06402



DARK MATURE OAK
● L0361-06403



LIGHT GREY OAK
● L0361-06404



LIGHT BEIGE OAK
● L0361-06405



SPRING OAK
● L0361-06406



MAROON OAK
● L0361-06407



ROMANTIC LIGHT GREY OAK
● L0361-06408



ROMANTIC GREY OAK
● L0361-06409



ROMANTIC GREIGE OAK
● L0361-06410



ROMANTIC NATURAL OAK
● L0361-06411

TRONDHEIM FÄRGMATCHANDE TILLBEHÖR



	FÄRGMATCHAD STANDARDGOLVSOCKEL	5-I-1 INCIZO® PROFIL	EXPANSIONSPROFIL (OFFENTLIG MILJÖ)	TRAPPBEKLÄDNAD	FÄRGAD FOGMASSA
ART. NR. FORMAT	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	95 cm PGSTRBTRO(-)95 120 cm PGSTRBTRO(-)120	PGKIT(-)B 310 ml
L0361-06398	06398	06398	06398	-	PGKIT02B
L0x61-06399	06399	06399	06399	06399	PGKIT18B
L0x61-06400	06400	06400	06400	06400	PGKIT10B
L0361-06401	06401	06401	06401	-	PGKIT09B
L0x61-06402	06402	06402	06402	06402	PBKIT17B
L0361-06403	06403	06403	06403	-	PGKIT03B
L0361-06404	06404	06404	06404	06404	PGKIT18B
L0361-06405	06405	06405	06405	-	PGKIT18B
L0361-06406	06406	06406	06406	-	PGKIT18B
L0361-06407	06407	06407	06407	-	PGKIT15B
L0361-06408	06408	06408	06408	-	PGKIT01B
L0361-06409	06409	06409	06409	-	PGKIT16B
L0361-06410	06410	06410	06410	-	PGKIT18B
L0361-06411	06411	06411	06411	-	PGKIT10B


INCIZO® UNDERPROFIL | NEINCPBASE6 | 2150 × 71 × 21 mm
Incizo®-underprofil krävs för montering i trappor och måste beställas separat.

TOREKOV

4-SIDIG FASNING



längd	bredd	tjocklek	plankor / paket	m ² / paket	paket / pall	m ² / pall
2050 mm	240 mm	9,5 mm	6	2,952 m ²	33	97,416 m ²



SIBERIAN OAK
 ● PRO L0262-03568
 ● L0362-03568



ROCKY MOUNTAIN OAK
 ● PRO L0262-03570
 ● L0362-03570



SEASIDE OAK
 ● PRO L0262-03571
 ● L0362-03571



CHATEAU OAK
 ● PRO L0262-03589
 ● L0362-03589



COUNTRY OAK
 ● PRO L0262-03590
 ● L0362-03590



LIGHT FJORD OAK
 ● PRO L0262-03862
 ● L0362-03862



FJORD OAK
 ● PRO L0262-03863
 ● L0362-03863



LODGE OAK
 ● PRO L0262-03864
 ● L0362-03864



CHALKED NORDIC OAK
 ● PRO L0262-03865
 ● L0362-03865



BEACH TOWN OAK
 ● PRO L0262-03870
 ● L0362-03870

TOREKOV FÄRGMATCHANDE TILLBEHÖR



	FÄRGMATCHAD STANDARDGOLVSOCKEL	5-I-1 INCIZO®-PROFIL	EXPANSIONSPROFIL (OFFENTLIG MILJÖ)	FÄRGAD FOGMASSA
ART. NR. FORMAT	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x62-03568	03568	03568	03568	PGKIT19B
L0x62-03570	03570	03570	03570	PGKIT16B
L0x62-03571	03571	03571	03571	PGKIT02B
L0x62-03589	03589	03589	03589	PGKIT04B
L0x62-03590	03590	03590	03590	PGKIT15B
L0x62-03862	03862	03862	03862	PGKIT19B
L0x62-03863	03863	03863	03863	PGKIT18B
L0x62-03864	03864	03864	03864	PGKIT10B
L0x62-03865	03865	03865	03865	PGKIT18B
L0x62-03870	03870	03870	03870	PGKIT02B

INCIZO® UNDERPROFIL | NEINCPBASE6 | 2150 × 71 × 21 mm
Incizo®-underprofil krävs för montering i trappor och måste beställas separat.

LILLEHAMMER

4-SIDIG FASNING



längd	bredd	tjocklek	plankor / paket	m ² / paket	paket / pall	m ² / pall
1380 mm	212 mm	9 mm	7	2,048 m ²	44	90,112 m ²



MATURE WHITE OAK
 ● PRO L0244-04748
 ● L0344-04748




SELECT OAK
 ● PRO L0244-04749
 ● L0344-04749



SELECT BEIGE OAK
 ● PRO L0244-04750
 ● L0344-04750



MATURE TAUPE OAK
 ● PRO L0244-04751
 ● L0344-04751



WHITE PAINTED OAK
 ● PRO L0244-04753
 ● L0344-04753



BLACK PAINTED OAK
 ● PRO L0244-04755
 ● L0344-04755



MATURE BROWN OAK
 ● PRO L0244-04756
 ● L0344-04756



SELECT WHITE OAK
 ● PRO L0244-04757
 ● L0344-04757



LIMFJORD OAK
 ● PRO L0244-04759
 ● L0344-04759



MODERN WALNUT
 ● PRO L0244-04761
 ● L0344-04761



PURE OAK
 ● PRO L0244-04763
 ● L0344-04763



PURE MIST OAK
 ● PRO L0244-04764
 ● L0344-04764



PURE GREY OAK
 ● PRO L0244-04765
 ● L0344-04765



PURE BROWN OAK
 ● PRO L0244-04766
 ● L0344-04766

LILLEHAMMER FÄRGMATCHANDE TILLBEHÖR



	FÄRGMATCHAD STANDARDGOLVSOCKEL	5-I-1 INCIZO®-PROFIL	EXPANSIONSPROFIL (OFFENTLIG MILJÖ)	FÄRGAD FOGMASSA
ART. NR. FORMAT	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x44-04748	04748	04748	04748	PGKIT19B
L0x44-04749	04749	04749	04749	PGKIT04B
L0x44-04750	04750	04750	04750	PGKIT10B
L0x44-04751	04751	04751	04751	PGKIT17B
L0x44-04753	04753	04753	04753	PGKIT01B
L0x44-04755	04755	04755	04755	PGKIT20B
L0x44-04756	04756	04756	04756	PGKIT12B
L0x44-04757	04757	04757	04757	PGKIT19B
L0x44-04759	04759	04759	04759	PGKIT01B
L0x44-04761	04761	04761	04761	PGKIT15B
L0x44-04763	04763	04763	04763	PGKIT02B
L0x44-04764	04764	04764	04764	PGKIT16B
L0x44-04765	04765	04765	04765	PGKIT16B
L0x44-04766	04766	04766	04766	PGKIT17B

INCIZO® UNDERPROFIL | NEINCPBASE11 | 2150 × 71 × 21 mm
Incizo®-underprofil krävs för montering i trappor och måste beställas separat.

VISBY

4-SIDIG FASNING



längd	bredd	tjocklek	plankor / paket	m ² / paket	paket / pall	m ² / pall
1380 mm	190 mm	8 mm	7	1,835 m ²	48	88,080 m ²



LIMED GREY OAK
 ● PRO L0231-03367
 ● L0331-03367



URBAN GREY OAK
 ● PRO L0231-03368
 ● L0331-03368



NEW ENGLAND OAK
 ● PRO L0231-03369
 ● L0331-03369



MANOR OAK
 ● PRO L0231-03370
 ● L0331-03370



FARMHOUSE OAK
 ● PRO L0231-03371
 ● L0331-03371



MODERN DANISH OAK
 ● PRO L0231-03372
 ● L0331-03372



BRUSHED WHITE PINE
 ● PRO L0231-03373
 ● L0331-03373



COASTAL OAK
 ● PRO L0231-03374
 ● L0331-03374




VILLAGE OAK
 ● PRO L0231-03375
 ● L0331-03375



SCRAPED VINTAGE OAK
 ● PRO L0231-03376
 ● L0331-03376



FROST WHITE OAK
 ● PRO L0231-03866
 ● L0331-03866



STUDIO OAK
 ● PRO L0231-03867
 ● L0331-03867



CITY OAK
 ● PRO L0231-03868
 ● L0331-03868



BLACK PEPPER OAK
 ● PRO L0231-03869
 ● L0331-03869

VISBY FÄRGMATCHANDE TILLBEHÖR



ART. NR. FORMAT	FÄRGMATCHAD STANDARDGOLVSOCKEL	5-I-1 INCIZO®-PROFIL	EXPANSIONSPROFIL (OFFENTLIG MILJÖ)	FÄRGAD FOGMASSA
	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x31-03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	PGKIT12B

INCIZO® UNDERPROFIL | NEINCPBASE8 | 2150 × 71 × 21 mm
Incizo®-underprofil krävs för montering i trappor och måste beställas separat.



längd	bredd	tjocklek	plankor / paket	m ² / paket	paket / pall	m ² / pall
1200 mm	190 mm	8 mm	7	1,596 m ²	48	76,608 m ²



NATURAL OAK
 ● PRO L0270-01804
 ● L0370-01804



NATURAL HONEY OAK
 ● L0370-04085



BEIGE SAND OAK
 ● PRO L0270-04093
 ● L0370-04093



NATURAL BEIGE OAK
 ● L0370-04390



WARM NATURAL OAK
 ● PRO L0270-04394
 ● L0370-04394



VINEYARD OAK
 ● L0370-05023



SEA STACK OAK
 ● L0370-05027



FRESH OAK
 ● L0370-05788



SUNLIT OAK
 ● L0370-05794



NORDIC WHITE ASH,
3-STRIP
 ● L0370-08012



CLASSIC OAK, 3-STRIP
 ● L0370-08013



ELEGANT OAK, 3-STRIP
 ● PRO L0270-08014
 ● L0370-08014

PERSTORP FÄRGMATCHANDE TILLBEHÖR



ART. NR. FORMAT	FÄRGMATCHAD STANDARDGOLVSOCKEL PGSK(-) 2400 × 12 × 58 mm	5-I-1 INCIZO®-PROFIL PGINCP(-) 2150 × 48 × 13 mm	EXPANSIONSPROFIL (OFFENTLIG MILJÖ) PGEXPC(-) 2350 × 50 × 9,5 mm	FÄRGAD FOGMASSA PGKIT(-)B 310 ml
L0x70-01804	01731	01731	01731	PGKIT04B
L0370-04085	04085	04085	04085	PGKIT10B
L0x70-04093	04093	04093	04093	PGKIT02B
L0370-04390	04390	04390	04390	PGKIT10B
L0x70-04394	04394	04394	04394	PGKIT09B
L0370-05023	05023	05023	05023	PGKIT09B
L0370-05027	05027	05027	05027	PGKIT01B
L0370-05788	01856	01856	01856	PGKIT02B
L0370-05794	05794	05794	05794	PGKIT09B
L0370-08012	01822	01822	01822	PGKIT18B
L0370-08013	01819	01819	01819	PGKIT04B
L0x70-08014	01789	01789	01789	PGKIT04B

INCIZO® UNDERPROFIL | NEINCPBASE2 | 2150 × 71 × 21 mm
Incizo®-underprofil krävs för montering i trappor och måste beställas separat.